

# Sustainability data sheet KORALAN® DEKORLASUR (DECORATIVE SCUMBLE)

#### 1. Product description

#### Acrylic and water-based wood scumble

Indoors: Protects against stains, dirt and dust and significantly reduces yellowing of wood. Outdoor areas: Protects wood from the effects of weather (sun, rain). Protects against sun by using UV-stable, highly lightfast pigments and a special UV absorber. For exterior use, we recommend a primer coat of Koralan® Imprägnier-Grund Farblos (Impregnation Primer Colourless).

#### 2. Ecolabels and cetifications



Registered with DGNB registration code: 52C310

QNG



- Classified according to QNG
- Listed in **baubook** .

50 Toy safety according to DIN EN 71-3

Fulfils the requirements according to • DIN EN 71-3 ("Safety of toys") in accordance with Directive 2009/48/EC

### 3. Ingredients

Product code / GISCODE	BSW30
VOC content (according to Directive 2004/42/EC)	<50 g/l.
Dilutable with water (according to Directive 2004/42/EC)	Yes
Active substances for storage protection (in- can preservative, product type 6)	Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3-one, 3-iodo-2- propinylbutylcarbamate
Active substances for coating protection (coating protection agents, product type 7)	Not part of the formula
Aromatic hydrocarbons	Not part of the formula
Plasticiser content according to VdL-RL 01	Not part of the formula

ΕN

Kurt Obermeier GmbH Berghäuser Straße 70 57319 Bad Berleburg GERMANY

Niederlassung: Wanheimer Straße 405 47055 Duisburg GERMANY

Telefon +49 2751 524-0 info@obermeier.de www.obermeier.de www.kora-holzschutz.de





KOR



### Sustainability data sheet KORALAN® DEKORLASUR (DECORATIVE SCUMBLE

Hazardous ingredients according to CLP re- gulation	See safety data sheet (section 2 & 3)
Lead, cadmium, chromium VI	Not part of the formula
CMR substances of categories 1A and 1B	Not part of the formula
PBT and vPvB substances	Not part of the formula
Ozone-depleting substances	Not part of the formula
Formaldehyde / Formaldehyde depot sub- stances	Not part of the formula
Boron compounds toxic to reproduction ≤ 0.1%	met
Compliance with the limitation of emissions of the titanium dioxide industry according to Directive 92/112/EEC and/or Directive 2010/75/EU	met

#### 4. Information on building certification according to DGNB

#### Suitability for DGNB criterion ENV 1.2 (2023) "Risks for the local environment"

Product group No. 1	Coatings on non-mineral substrates: Metals, wood, plastics
Proct type	This refers to decorative, fluid coating materials: var- nish/scumbles with primer coatings. Excluded are effect coatings (e.g. metallic paints)
DGNB quality level 1	met
DGNB quality level 2	met
DGNB quality level 3	met
DGNB quality level 4	Factory-side: met On-site: not met

#### 5. Information on building certification according to QNG

#### Annex document 3.1.3 Avoidance of harmful substances in building materials (as of 28 July 2023)

Building product group 6.1	On-site coatings on wood, metal and plastic in indoor and out- door areas
Building products to be verified	All decorative coatings (1K and 2K systems) including primers and wood scumbles: Steel beams, sheet steel doors, interior doors, door frames, stair railings, heating pipes, timber construction elements (beams,

ΕN

Telefon +49 2751 524-0 info@obermeier.de www.obermeier.de www.kora-holzschutz.de





2/3

KOR



# Sustainability data sheet KORALAN® DEKORLASUR (DECORATIVE SCUMBLE)

	posts, transoms, purlins, etc.), timber panelling, façade cladding, etc except floor coverings	
Substances analysed	VOC / hazardous substances / heavy metals (lead, cadmium, chromium VI)	
Regulations / reference standard	VOC according to 2004/42/EC, 1907/2006/EC, DE-UZ 12a	
QNG requirements for the avoidance of hazardous substances		
VOC ≤130 g/ml (water-based formulation)	met	
No pigments and siccatives based on lead,	mot	

#### 6. Quality and environmental management

cadmium and chromium VI compounds



met

### 7. Place of production

Kurt Obermeier GmbH Berghäuser Straße 70 57319 Bad Berleburg GERMANY

This data sheet has been compiled according to the latest state of the art and based on our experience. However, in view of the diverse requirements of building certifications, the buyer/user is not released from his/her obligation to check our assessment on his/her own responsibility for its suitability for the intended certification system and its respective requirements. This data sheet is only valid in its latest version and in conjunction with the current technical data sheet and the safety data sheet.

If necessary, please use our homepage to ensure that this version is up to date.

ΕN

Kurt Obermeier GmbH Berghäuser Straße 70 57319 Bad Berleburg GERMANY Niederlassung: Wanheimer Straße 405 47055 Duisburg GERMANY Telefon +49 2751 524-0 info@obermeier.de www.obermeier.de www.kora-holzschutz.de





3/3

KORA®